AR&E

96700/341

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Vadiraja Murthy and Edward R. Burns

Serial No.:

08/421,079

Filed

April 13, 1995

For

METHOD FOR DETECTING HEMOLYSIS

Certificate of Transmission

COMMUNICATION

I hareby certify that this correspondence is being facsimile-transmitted to the Patent and Trademark Office:

Honorable Commissioner of Patents and Trademarks Washington, D.C. 20231

Attn.: Application Processing Division

Ms. Ivey

Sir:

Typed or printed name of person signing certificate

This Communication is submitted to summarize and confirm a telephone conversation today between the undersigned and Ms. Ivey of the Application Processing Division. During that conversation, Ms. Ivey indicated to the undersigned that the May 3, 1995 Notice to File Missing Parts of Application was issued in error because a small entity status statement was provided with the application papers as originally filed. Accordingly, Ms. Ivey indicated that the Notice to File Missing Parts would be withdrawn.

Respectfully Submitted,

AMSTER, EBENSTEIN & ROTHSTEIN

Attorneys for Applicants

90 Park Avenue

New York, New York 10016

(2121) 697-5995

Dated: May 10, 1995

New York, New York

Craig J. Arnold

Registration No. 34,287

AMSTER, ROTHSTEIN & EBENSTEIN 90 Park Avenue New York, New York 10016

Telephone No. 212-697-5995

Facsimile Nos. 212-286-0854 212-286-0082

FACSIMILE COVER SHEET

Date May 10, 1995
PLEASE DELIVER THE ATTACHED MESSAGE
To Mrs. Ivey
Co./Dept. U.S.P.T.O. Tel. No. 703-308-1202
From Craig Arnold
Re Murthy, et. al./METHOD FOR DETECTING HEMOLYSIS (96700/341)
Total number of pages, including this page 2
Fax No. 703-308-2840 Alternate Fax No
Prepd. By Gerri Return To Gerri Sent By Time
THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED AND CONFIDENTIAL. IF YOU HAVE RECEIVED THIS MESSAGE IN ERROR, OR IF YOU DO NOT RECEIVE LEGIBLE COPIES OF ALL PAGES, PLEASE NOTIFY US BY TELEPHONE IMMEDIATELY.

Message: